

2019 NORTH AMERICAN PRODUCT REFERENCE GUIDE



DRYTAC[®]
ADHESIVE SCIENCE

www.drytac.com

TABLE OF CONTENTS

About Drytac	1	Artshield™ Heatset® Overlaminating Films	17
Large Format Print Media	2	MediaShield™ Heatset® Overlaminating Films	17
SpotOn®	2	MHL™ Thermal Laminating Films	18
SpotOn® Floor 200	2	MHL™ Backing Films	19
SpotOn® SynPaper for PageWide XL	2	Backing Material for Single-Sided Lamination	19
ReTac® Smooth	3	Mounting Adhesives.	20
ReTac® Textures	3	Pressure Sensitive Mounting Adhesives	20
ViziPrint® Impress	4	MHA Heat-Activated Mounting Adhesive	21
ViziPrint® Illuminate	4	Heat-Activated Mounting Adhesives and Tissues for Dry Mount Presses.....	21
ViziPrint® Deco SR	5	Banner Stands.....	22
ViziCling™	5	BannerBug®	22
FloorTac™	5	The Retractable Deluxe™	23
Polar® Burst.....	6	The Retractable Plus™	23
Polar® Chrome.....	6	Magnetics & Tools	24
Polar® Grip.....	6	Magnetic Receptive Sheeting and Films.....	24
Polar® Premium	7	Prep & Installation Tools	24
Polar® Dynamic.....	8	Tools and Accessories	25
Polar® Transit.....	8	Hanging & Display Accessories.....	25
Wide Format Print Media	10	Canvas, Framing & Photo Mounting Tools	25
Printable Eclipse™, SilkScape™ and EarthSmart™	10	Matte Edge Foil.....	25
Reveal™ Backlit Film.....	10	Laminators & Vacuum Presses	26
Writable Films.....	11	JM18, JM26 and JM34 Electric Table-top	26
ReTac® WipeErase® & WipeErase® White	11	Manual Table-Top Laminator	26
ReTac® ChalkMate™ & ChalkMate™ Permanent	11	Custom Coating Services	27
WipeErase® Clear	12		
Protac™ Scribe and MHL™ Scribe.....	12		
Counter Mat Solution	13		
ArmourPrint™ Emerytex + ArmourGrab™	13		
Large Format Overlaminates	14		
Interlam™ Pro Pressure Sensitive Overlaminating Films	14		
Interlam™ Eco Pressure Sensitive Overlaminating Films	15		
Dynamic Plus Pressure Sensitive Overlaminating Film.....	15		
Protac™ Overlaminating Films	16		

Our History

Since our inception in 1976, Drytac has evolved into a highly regarded manufacturer of adhesive-coated products. With offices around the globe, and manufacturing facilities in both the United Kingdom and North America, Drytac serves a truly international marketplace. Our core product line consists of a wide range of self-adhesive print media, pressure sensitive and heat-activated overlaminating films, double-sided mounting adhesives, roller laminators, and portable displays.

Well known Drytac trademarks include SpotOn®, ReTac®, ViziPrint®, Polar®, WipeErase®, ChalkMate™, Facemount®, Emerytex®, JetMounter™, and other premium brands such as BannerBug®, which is available exclusively through Drytac.

Our unique ability to manage all phases of the customer experience - product quality and performance; manufacturing and distribution; training and technical support; and excellent customer service - is what sets us apart in the industry.

Drytac All Over the World

Drytac has global distribution partners with proven market experience in visual communications. They can provide valuable advice regarding the best product for your application. From windows, walls and floors to indoor and outdoor installations, Drytac and its partners have the solution.

Adhesive Science

Although our core business is the manufacture of mounting adhesives and laminating films for graphic applications, the materials you see in this catalog are only a selection of what we offer. If you have unique adhesive requirements, our team would like to discuss how Drytac can custom formulate a product specific to your needs.

New Innovations and Technologies

Drytac is proud to offer a wide array of visual communications solutions, including the following highlights:

- **SpotOn®** - printable PVC film with a unique dot-patterned removable adhesive for easy, bubble-free graphic application. Clear and white versions with gloss and matte finishes are available.
- **SpotOn® Floor 200** - 8 mil matte white textured PVC film for floor graphic applications
- **ReTac® Smooth 75/150** - matte white PVC films with ReTac® ultra removable adhesive technology.
- **ReTac® Textures** - 6 mil matte white polymeric PVC film with embossed texture
- **ChalkMate™** - 5 mil PVC film with black chalkboard finish available with a ReTac® adhesive or permanent adhesive.
- **WipeErase® Clear**- 3 mil dry erase clear PET overlaminate hard coat film.
- **ReTac® WipeErase®**- 6 mil white dry erase finish with a ReTac ultra removable adhesive.
- **WipeErase® White**- 6 mil white dry erase finish with a permanent adhesive.
- **ViziPrint® Impress and ViziPrint® Illuminate**- printable window films.
- **Polar® Burst** - is a 3.7 mil printable, satin self-adhesive PVC film with a high-tack, removable grey acrylic adhesive.
- **Polar® Grip** - is a 3.2 (80µ) printable white PVC film with a high-tack adhesive for very tough applications.
- **Protac™ Anti-Scratch Gloss** - is a 4 or 10 mil PET film with a scratch-resistant hard coat and a high gloss finish.
- **ArmourPrint™ Emerytex® + ArmourGrab™**- a two part system that works together perfectly to create an FDA and slip rated counter mat solution ideal for fast food and retail environments.

LARGE FORMAT PRINT MEDIA

SpotOn®

SpotOn® is a 4 mil printable PVC film with a unique dot-pattern removable adhesive. The dot-pattern allows for easy, bubble-free application of graphics to a wide range of substrates without the need for tools or wet application. SpotOn® is commonly used for window graphics because of its effortless installation and removal, but is also suitable for short-term indoor applications. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
SpotOn® Clear Gloss	SPOT25010 SPOT54164	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m)	4.0 (100µ)	Gloss clear PVC film with a dot-patterned removable adhesive
SpotOn® Clear Matte	SPOC25010 SPOC54164	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m)	4.0 (100µ)	Matte clear frosted PVC film with a dot-patterned removable adhesive
SpotOn® White Gloss	SPOG25010 SPOG54164	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m)	4.0 (100µ)	Gloss white PVC film with a dot-patterned removable adhesive
SpotOn® White Matte	SPOM25010 SPOM54164	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m)	4.0 (100µ)	Matte white PVC film with a dot-patterned removable adhesive

SpotOn® Floor 200

SGIA Product of the Year Winner



SpotOn® Floor 200 is an 8 mil printable, slip resistant PVC film with a unique dot-pattern removable adhesive. The dot-pattern allows for easy, bubble-free application of graphics to most flat or short pile carpet surfaces without the need for tools. SpotOn® Floor 200 does not require overlamination and can be installed and removed with ease, making it ideal for indoor floor graphic applications. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.




Low Slip Potential Rating according to EN 13036-4

Product	SKU	Available Sizes	Mil	Description
SpotOn® Floor 200	SPOW25010 SPOW54098	25.5" x 10' (648mm x 3m) sample 54" x 98' (1372mm x 30m)	8.0 (200µ)	Matte white textured PVC film with a dot-patterned removable adhesive

SpotOn® SynPaper for PageWide® XL



SpotOn® SynPaper for PageWide® XL is a 4.7 mil printable matte white, self-adhesive Polypropylene film with a dot-pattern, removable pressure sensitive adhesive. SpotOn® SynPaper for PageWide® XL allows for easy, bubble-free application of vibrant graphics. This high quality, ink receptive white synthetic paper was specifically developed for printing with HP PageWide® XL* printers.



Product	SKU	Available Sizes	Mil	Description
SpotOn® SynPaper for PageWide® XL	SPOP40033 SPOP40164	40" x 33' (1015mm x 10m) sample 40" x 164' (1015mm x 50m)	4.7 (120µ)	Matte white PP with a dot-patterned removable adhesive

* PageWide® is a registered trademark of HP

ReTac® Smooth 75/150

ReTac® Smooth is a printable polymeric PVC film with ReTac® ultra removable adhesive for graphics that need to be removed and repositioned. It is ideal for interior wall graphic applications including decals and wall murals. It can also be used on windows and outdoor applications. This product is formulated to be phthalate-free. Compatible with (eco) solvent, UV and latex printers.



Flame resistant testing FTMS191 method 5903



Product	SKU	Available Sizes	Mil	Description
ReTac® Smooth 150	RTF25010-6 RTF54150-6 RTF61150-6	25.5" x 10' (648mm x 3m) sample 54" x 150' (1327mm x 46m) 61" x 150' (1549mm x 46m)	6.0 (150µ)	Matte white polymeric PVC film with ReTac® ultra removable adhesive technology for graphics that need to be removed and repositioned.
ReTac® Smooth 75	RTF25010-3.2 RTF54150-3.2	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	

ReTac® Textures

ReTac® Textures is a 6 mil printable white polymeric PVC film with a variety of textured finishes that add dimension and visual appeal to images. With ReTac® ultra removable adhesive technology, ReTac® Textures can easily be removed and repositioned. This product is formulated to be phthalate-free. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
ReTac® Textures Canvas	RTCC25010 RTCC54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	6.0 (150µ)	Matte white canvas embossed PVC film with ReTac® ultra removable adhesive
ReTac® Textures Linen	RTCL25010 RTCL54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	6.0 (150µ)	Matte white linen embossed PVC film with ReTac® ultra removable adhesive
ReTac® Textures Sand	RTCS25010 RTCS54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	6.0 (150µ)	Matte white sand embossed PVC film with ReTac® ultra removable adhesive
ReTac® Textures Woodgrain	RTCW25010 RTCW54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	6.0 (150µ)	Matte white woodgrain embossed PVC film with ReTac® ultra removable adhesive

COMING SOON

ViziPrint® Impress

ViziPrint® Impress are printable PET films with proprietary adhesion technology. They are easy to install and reposition on glass and other smooth flat surfaces without leaving adhesive residue behind. Ideal for decals, signage and retail window advertising. ViziPrint Impress comes in two options, a clear and a white film. ViziPrint Impress Clear is an optically clear film making it ideal for storefront signage. Compatible with (eco) solvent, UV and latex printers.



Product	SKU	Available Sizes	Mil	Description
ViziPrint® Impress Clear UV	VPI25010-V2 VPI54098-V2 VPI60098-V2 VPI60328-V2*	25.5" x 10' (648mm x 3m) sample 54" x 98' (1372mm x 30m) 60" x 98' (1524mm x 30m) 60" x 328' (1524mm x 100m)*	4 (100µ)	Glass clear PET film with proprietary adhesion technology. Compatible with UV printers.
ViziPrint® Impress Clear SEL	VPI25010-SELV2 VPI54098-SELV2 VPI60098-SELV2	25.5" x 10' (648mm x 3m) sample 54" x 98' (1372mm x 30m) 60" x 98' (1524mm x 30m)	5 (125µ)	Glass clear PET film with proprietary adhesion technology. Compatible with (eco) solvent, UV and latex printers.
ViziPrint® Impress White SEL	VPIW25010-SELV2 VPIW54098-SELV2 VPIW54328-SELV2 VPIW60098-SELV2	25.5" x 10' (648mm x 3m) sample 54" x 98' (1372mm x 30m) 54" x 328' (1524mm x 100m) 60" x 98' (1524mm x 30m)	5 (125µ)	White PET film with proprietary adhesion technology. Compatible with (eco) solvent, UV and latex printers.

*Minimum roll orders may apply.

ViziPrint® Illuminate

ViziPrint® Illuminate is a 4 mil high quality, printable translucent matte PET film with proprietary adhesion technology. It can be applied to glass and other smooth, flat surfaces without leaving adhesive residue. The film is very durable and does not require overlamination for graphics. It is reverse printable, allowing for indoor and outdoor visibility of window graphics. It can also be used for privacy and decorative glass applications as well as backlit displays. Compatible with UV and latex printers.



Product	SKU	Available Sizes	Mil	Description
ViziPrint® Illuminate	VPIL25010 VPIL54098 VPIL60098	25.5" x 10' (648mm x 3m) sample 54" x 98' (1372mm x 30m) 60" x 98' (1524mm x 30m)	4 (100µ)	Translucent matte PET film with proprietary adhesion technology

ViziPrint® Deco SR

ViziPrint® Deco SR is a scratch-resistant optically clear gloss PET film with a permanent acrylic adhesive. The high quality adhesive adheres to most substrates, including glass surfaces. This printable window film utilizes a special ink-receptive top coat for greater adhesion of inks, and it can be used to create graphics and window decals for retail storefronts and POP or backlit displays. ViziPrint® Deco SR is ideal for architectural applications where decorative glass details are needed to create dynamic spaces, including conference rooms or private meeting areas. Compatible with UV printers.



Product	SKU	Available Sizes	Mil	Description
ViziPrint® Deco SR	VPIDSR-25010 VPIDSR-54164 VPIDSR-61164	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m) 61" x 164' (1549mm x 50m)	2 (50µ)	A scratch-resistant printable glass clear PET film with permanent adhesive.

FloorTac™

FloorTac™ is a 3.2 mil printable matte white polymeric PVC film with a removable grey acrylic adhesive. It is specifically engineered with no-lift adhesive technology, making it ideal for short-term indoor floor graphic advertising. FloorTac™ is recommended for use with Drytac's Emerytex® laminating film to provide slip resistance. Compatible with (eco) solvent, UV and latex printers.



Warrantied for 6 months of indoor use when combined with Drytac's Emerytex® laminating film

Product	SKU	Available Sizes	Mil	Description
FloorTac™	PFL25010 PFL54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Printable matte white polymeric PVC film with a removable grey acrylic adhesive

Polar® Burst

Polar® Burst is a 3.7mil (95µ) printable, satin, self-adhesive PVC film with a high quality, removable grey acrylic adhesive that allows for adhesion to smooth, flat surfaces. Its reflective qualities create eye-catching graphics, day and night. As such, it is ideal for signage and general advertising applications, as well as POP displays, posters and other exhibition graphics. Compatible UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
Polar® Burst	PBR25010 PBR50098	25.5" x 10' (648mm x 3m) sample 50" x 98' (1270mm x 30m)	3.7 (95µ)	Printable, satin self-adhesive PVC film with a grey removable acrylic adhesive.

COMING SOON

Polar® Chrome

Polar® Chrome is a 75 micron printable reflective silver PET film with a clear permanent acrylic adhesive. Create engaging displays and signage with this bold reflective film. Polar® Chrome is ideal for indoor/short-term outdoor signage, billboards and exhibitions hall displays, POS displays, bus or subway advertisements. Compatible (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
Polar® Chrome	PCH25010 PCH60098	25.5" x 10' (648mm x 3m) sample 60" x 98' (1270mm x 30m)	3 (75µ)	Silver PET film with a clear permanent adhesive.

Polar® Grip

Polar® Grip is a 3.2 (80µ) printable, premium white polymeric grey self-adhesive PVC film with a high coat weight and aggressive permanent adhesive. The film's unique high bond adhesive makes it suitable for graphics or decals on motorsport vehicles, machine equipment, motorcycle helmets and coarse surfaces, such as brick and concrete blocks. It can also be used on rough or hard surfaces, such as brick or concrete. Ideal for applications where flexibility and high bond adhesion are desired. This product is formulated to be phthalate-free. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Outdoor durable for 5+ years when paired with Drytac's Interlam™ Pro laminating films

Product	SKU	Available Sizes	Mil	Description
Polar® Grip Matte	PGM25010 PGM54150 PGM60150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 60" x 150' (1524mm x 46m)	3.2 (80µ)	Printable matte white polymeric PVC film with a high coat weight pressure sensitive, permanent grey acrylic adhesive.
Polar® Grip Gloss	PGG25010 PGG54150 PGG60150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 60" x 150' (1524mm x 46m)	3.2 (80µ)	Printable gloss white polymeric PVC film with a high coat weight pressure sensitive, permanent grey acrylic adhesive.

COMING SOON

Polar® Premium *formerly known as Polar® Polymeric*

Premium polymeric self-adhesive PVC films with permanent and removable adhesive options for use on a wide variety of substrates. The high opacity of Polar® Premium films provide a consistent printing surface and a superb white point. Ideal for general purpose signage for interior and exterior applications, graphics for advertising and POP displays, and construction barricade applications. This product is formulated to be phthalate-free. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
Polar® Premium White Gloss PB <i>Formerly Polar® Poly Gloss P</i>	PGP25010 PGP54150 PGP60150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 60" x 150' (1524mm x 46m)	3.2 (80µ)	Gloss white polymeric PVC film with a high quality, permanent grey acrylic adhesive and 78# release liner. Indoor and outdoor durable.
Polar® Premium White Matte PB <i>Formerly Polar® Poly Matte P</i>	PMP25010 PMP54150 PMP60150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 60" x 150' (1524mm x 46m)	3.2 (80µ)	Matte white polymeric PVC film with a high quality, permanent grey acrylic adhesive and 78# release liner. Indoor and outdoor durable.
Polar® Premium White Gloss RB <i>Formerly Polar® Poly Gloss R</i>	PGR25010 PGR54150 PGR60150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 60" x 150' (1524mm x 46m)	3.2 (80µ)	Gloss white polymeric PVC film with a removable grey acrylic adhesive and 78# release liner. Indoor and outdoor durable.
Polar® Premium White Matte RB <i>Formerly Polar® Poly Matte R</i>	PMR25010 PMR54150 PMR60150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 60" x 150' (1524mm x 46m)	3.2 (80µ)	Matte white polymeric PVC film with a removable grey acrylic adhesive and 78# release liner. Indoor and outdoor durable.
Polar® Premium White Gloss R <i>Formerly Polar® Poly Gloss RC</i>	PGRC25010 PGRC54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Gloss white polymeric self-adhesive PVC film with a removable clear acrylic adhesive with 78# release liner.
Polar® Premium White Matte R <i>Formerly Polar® Poly Matte RC</i>	PMRC25010 PMRC54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) matte	3.2 (80µ)	Matte white polymeric self-adhesive PVC film with a removable clear acrylic adhesive with 78# release liner.
Polar® Premium White Gloss PB 90 <i>Formerly Polar® Poly Gloss P90</i>	PGP90-25010 PGP90-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Gloss white polymeric self-adhesive PVC film with a high quality, permanent grey acrylic adhesive with 90# release liner.
Polar® Premium White Matte PB 90 <i>Formerly Polar® Poly Matte P90</i>	PMP90-25010 PMP90-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Matte white polymeric self-adhesive PVC film with a high quality, permanent grey acrylic adhesive with 90# release liner.

Polar® Dynamic formerly known as Polar® Monomeric

Polar® Dynamic is a monomeric self-adhesive PVC film with grey or clear acrylic adhesive. With both permanent and removable adhesive options, Polar® Dynamic maximizes adhesive performance on a wide variety of substrates. This product is formulated to be phthalate-free. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
Polar® Dynamic White Gloss PB	PPG2-25010 PPG2-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Gloss white monomeric PVC film with a high quality, permanent grey acrylic adhesive.
Polar® Dynamic White Gloss P	PPGC-25010 PPGC-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Gloss white monomeric PVC film with a high quality, permanent clear acrylic adhesive.
Polar® Dynamic White Matte PB	PPM2-25010 PPM2-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Matte white monomeric PVC film with a high quality, permanent grey acrylic adhesive.
Polar® Dynamic White Matte P*	PPMC-25010 PPMC-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Matte white monomeric PVC film with a high quality, permanent clear acrylic adhesive.
Polar® Dynamic White Gloss RB	PRG2-25010 PRG2-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Gloss white monomeric PVC film with a high quality, removable grey acrylic adhesive.
Polar® Dynamic White Gloss R*	PRGC-25010 PRGC-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Gloss white monomeric PVC film with a high quality, removable clear acrylic adhesive.
Polar® Dynamic White Matte RB	PRM2-25010 PRM2-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Matte white monomeric PVC film with a high quality, removable grey acrylic adhesive.
Polar® Dynamic White Matte R*	PRMC-25010 PRMC-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.2 (80µ)	Matte white monomeric PVC film with a high quality, removable clear acrylic adhesive.
Polar® Dynamic Clear Gloss R	PRC-25010 PRC-54150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	3.7 (94µ)	Gloss clear monomeric PVC film with a high quality, removable clear acrylic adhesive.

*Minimum roll orders may apply.

Polar® Transit

Polar® Transit is a premium, matte white self-adhesive PVC film with a high quality, removable grey adhesive that allows for adhesion to smooth, flat surfaces such as hockey rinks and bus king, queen and tail posters. Ideal for outdoor transit applications, including temporary fleet graphics and transportation signage. This product is formulated to be phthalate-free. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
Polar® Transit	PTM25010 PTM54150 PTM62150	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m) 62" x 150' (1575mm x 46m)	3.2 (80µ)	Matte white PVC film with a removable grey acrylic adhesive and 90# release liner

LARGE FORMAT PRINT MEDIA

PRODUCT	PRINT MEDIA FOR GLASS WINDOWS, WALLS AND FLOORS									PRINTER COMPATIBILITY		
	Base Film	Adhesive System	Indoor/Outdoor Use	Ease of Application	Wet/Dry Application	Easily Removable	Bond Strength	Clarity of Material	Suitable for double-sided graphics	(Eco) Solvent	UV	Latex
SpotOn® Clear Gloss	PVC	Dot-Patterned Acrylic	Indoor/Short-term Outdoor	Very Easy	Dry	Yes	Low	Contact Clear	Yes	•	•	•
SpotOn® Clear Matte	PVC	Dot-Patterned Acrylic	Indoor/Short-term Outdoor	Very Easy	Dry	Yes	Low	Contact Clear	Yes	•	•	•
SpotOn® White Gloss	PVC	Dot-Patterned Acrylic	Indoor/Short-term Outdoor	Very Easy	Dry	Yes	Low	No	No	•	•	•
SpotOn® White Matte	PVC	Dot-Patterned Acrylic	Indoor/Short-term Outdoor	Very Easy	Dry	Yes	Low	No	No	•	•	•
SpotOn® Floor 200	PVC	Dot-Patterned Acrylic	Indoor	Very Easy	Dry	Yes	Low	No	No	•	•	•
SpotOn® SynPaper for PageWide XL	PP	Dot-Patterned Acrylic	Indoor/Short-term Outdoor	Very Easy	Dry	Yes	Low	No	No	Designed for the HP PageWide XL		
ReTac® Smooth	PVC	Ultra Removable	Indoor/Outdoor	Easy	Dry	Yes	Low	No	No	•	•	•
ReTac® Textures	PVC	Ultra Removable	Indoor/Outdoor	Easy	Dry	Yes	Low	No	No	•	•	•
ViziPrint® Impress Clear UV	PET	Proprietary Adhesion Technology	Indoor/Short-term Outdoor	Moderate	Wet	Yes	Low	Optically Clear	Yes		•	•
ViziPrint® Impress Clear SEL	PET	Proprietary Adhesion Technology	Indoor/Short-term Outdoor	Moderate	Wet	Yes	Low	Optically Clear	No	•	•	•
ViziPrint® Impress White SEL	PET	Proprietary Adhesion Technology	Indoor/Short-term Outdoor	Moderate	Wet	Yes	Low	No	No	•	•	•
ViziPrint® Illuminate	PET	Proprietary Adhesion Technology	Indoor/Short-term Outdoor	Moderate	Wet	Yes	Low	Translucent	Yes		•	•
ViziPrint® Deco SR	PET	Acrylic Permanent	Indoor	Skilled	Wet	No	High	Optically Clear	Yes		•	•
ViziCling™	PVC	Not Applicable	Indoor	Moderate	Dry/Wet	Yes	Very Low	Clear	No	•	•	•
FloorTac™	PVC	Removable Aqueous Acrylic	Indoor	Moderate	Dry	Yes	Moderate	No	No	•	•	•
Polar® Burst	PVC	Removable Acrylic	Indoor/Short-term Outdoor	Moderate	Dry	Yes	Moderate	No	No		•	•
Polar® Grip	PVC	Aggressive Permanent Acrylic	Indoor/Outdoor	Easy	Dry	No	Extremely High	No	No	•	•	•
Polar® Premium P	PVC	Permanent Aqueous Acrylic	Indoor/Outdoor	Easy	Dry	No	High	No; Clear Gloss: Contact Clear	No; Clear Gloss: Yes	•	•	•
Polar® Premium R	PVC	Removable Aqueous Acrylic	Indoor/Outdoor	Easy	Dry	Yes	Moderate	No	No	•	•	•
Polar® Dynamic P	PVC	Permanent Acrylic	Indoor/Outdoor	Easy	Dry	No	High	No; Clear Gloss: Contact Clear	No; Clear Gloss: Yes	•	•	•
Polar® Dynamic R	PVC	Removable Acrylic	Indoor/Outdoor	Easy	Dry	Yes	Moderate	No	No	•	•	•
Polar® Transit	PVC	Removable Aqueous Acrylic	Indoor/Outdoor	Easy	Dry	Yes	Moderate	No	No	•	•	•
WindowTac®	PET	Removable Aqueous Acrylic	Indoor (Short-term Outdoor)	Easy	Dry	Yes	Moderate	Contact Clear	Yes	Create a window graphic out of any print media		

WIDE FORMAT PRINT MEDIA

Printable Eclipse™, SilkScape™ and EarthSmart™

Printable Eclipse™ including SilkScape™ and EarthSmart™ Eclipse, are excellent for retractable banner stands and pop up displays. Printable Eclipse™, our most popular media, is coated with an innovative, quick-dry ink receptive finish and has a block-out layer that renders the printed film opaque. When laminated with a film laminate like Interlam™ Pro Emerytex®, the result is a durable graphic that withstands handling, rolling and shipping, and hangs straight and flat without edge fray. All products come on a 3" core.



Product	SKU	Available Sizes	Mil	Description
Printable Eclipse™ Satin Solvent	PRE25010SL-10SA PRE36098SL-10SA PRE50098SL-10SA	25.5" x 10' (648mm x 3m) sample 36" x 98' (914mm x 30m) 50" x 98' (1270mm x 30m)	10.0 mil (250µ)	White PET blend with satin finish and white back. For (eco) solvent, UV and latex printers.
EarthSmart™ Eclipse	ESE25010-8 ESE54150-8	25.5" x 10' (648mm x 3m) sample 54" x 150' (1372mm x 46m)	8.0 mil (200µ)	PP blockout banner media. Printable on both sides. For UV printers.
SilkScape™	SSM25010 SSM36100 SSM60100	25.5" x 10' (648mm x 3m) sample 36" x 100' (914mm x 30m) 60" x 100' (1524mm x 30m)	8.0 mil (200µ)	Economical, opaque white PP film with a satin matte finish and white back. For (eco) solvent, UV and latex printers.

Reveal™ Backlit Film

Reveal™ is a high quality PET film with a matte or gloss finish. It effectively transmits light, dispersing it evenly and consistently across an image. The result is graphics that are effectively illuminated promotional messages that are clearly displayed. The film can be cut with large format CNC finishing systems. Due to the rigidity of Reveal™, graphics can be more easily inserted into light boxes. With an excellent white point and anti-static, anti-slip treatment on the backside, Reveal™ is an excellent choice for backlit graphic displays in airports, museums or malls. It can also be used for outdoor backlit applications at bus or train stations.



Product	SKU	Available Sizes	Mil	Description
Reveal™ Backlit Film	RBUV25010-7.5 RBUV54164-7.5 RBUV54400-7.5 RBUV60164-7.5	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m) 54" x 400' (1372mm x 50m) 60" x 164' (1524mm x 50m)	7.5 (180µ)	PET film with matte finish. Compatible with UV and latex printers.
Reveal™ Backlit Film Solvent Gloss	RBS25010-8.5 RBS54164-8.5 RBS60164-8.5	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m) 60" x 164' (1524mm x 50m)	8.5 (215µ)	PET film with gloss finish. Compatible with (eco) solvent, UV and latex printers.
Reveal™ Backlit Film Solvent Matte	RBSM25010-8.5 RBSM54164-8.5	25.5" x 10' (648mm x 3m) sample 54" x 164' (1372mm x 50m)	8.5 (215µ)	PET film with matte finish. Compatible with (eco) solvent, UV and latex printers.

COMING
SOON

ReTac® WipeErase®
 SGIA Product of the Year Winner



& WipeErase® White (Permanent)

WipeErase®, a premium 6 mil white dry erase finish with a ReTac ultra removable adhesive or a permanent adhesive. WipeErase® has a chemical and scratch-resistant UV hard coat, clear gloss surface that safeguards against ghosting or staining from ink. Its anti-graffiti properties also allow for easy removal of permanent marker (e.g., Sharpie®†). Typical applications include indoor dry erase or planning boards, conference room walls, note pads, or signage. It can be used to refresh old boards.



Product	SKU	Available Sizes	Mil	Description
ReTac® WipeErase®	RWE25010 RWE30050 RWE60150	25.5" x 10' (648mm x 3m) sample 30" x 50' (762mm x 15m) 60" x 150' (1524mm x 46m)	7 (6/1)	A premium white dry erase finish and ReTac® ultra removable adhesive.
WipeErase® White (Permanent)	PWE50150 PWE60150	50" x 150' (1270mm x 46m) 60" x 150' (1524mm x 46m)	7 (6/1)	A premium white dry erase finish and permanent adhesive.

† Sharpie® pens are a registered trademark of SANFORD

ReTac® ChalkMate™ & ChalkMate™ Permanent

ChalkMate™ is a durable, printable PVC film with a traditional black chalkboard finish that can be used with standard chalk or liquid chalk markers. It can be installed on most smooth surfaces.

It utilizes ReTac® ultra removable adhesive, which works well when creating impromptu chalkboard walls. An alternative version, ChalkMate™ Permanent, is available with a permanent, pressure sensitive acrylic adhesive that is ideal for fixture applications. Both can be used to make unique, custom chalkboard decals from die cut shapes or designs. Compatible with most UV printers.



Product	SKU	Available Sizes	Mil	Description
ReTac® ChalkMate™	CKM25010-R CKM30050-R CKM61100-R	25.5" x 10' (648mm x 3m) sample 30" x 50' (762mm x 15m) 61" x 100' (1549mm x 30m)	5 (125µ)	PVC film with black chalkboard finish and ReTac® ultra removable adhesive
ChalkMate™ Permanent	CKM25010-P CKM30050-P CKM61100-P	25.5" x 10' (648mm x 3m) sample 30" x 50' (762mm x 15m) 61" x 100' (1549mm x 30m)	5 (125µ)	PVC film with black chalkboard finish and permanent adhesive

WipeErase® Clear

Turn simple graphic prints into dry erase boards with WipeErase® Clear, our premium 2 mil, dry erase clear PET overlamine with a permanent acrylic adhesive. WipeErase® Clear has a chemical and scratch-resistant UV hard coat, clear gloss surface that safeguards against ghosting or staining from ink. Its anti-graffiti properties also allow for easy removal of permanent marker (e.g., Sharpie®†). Typical applications include indoor dry erase or planning boards, menu boards, conference room walls, courtroom graphic displays, maps, calendars, note pads, or signage.

Durability ratings through ASTM D3363-74 Hardness and Hoffman Scratch Test for durability

Wear resistance– BYK Gardner Sled 5,000+ cycles



Product	SKU	Available Sizes	Mil	Description
WipeErase® Clear	WEC25015 WEC51050 WEC51150 WEC61150	25.5" x 15' (648mm x 4.5m) 51" x 50' (1295mm x 15m) 51" x 150' (1295mm x 46m) 61" x 150' (1549mm x 46m)	3 (2/1)	Dry erase hard coat laminate with a chemical and scratch-resistant clear gloss surface; has anti-graffiti properties

† Sharpie® pens are a registered trademark of SANFORD

Protac™ Scribe & MHL™ Scribe

Protac™ Scribe and MHL™ Scribe are economical PP overlaminating films with a gloss dry erase finish that is coated on one side with an adhesive. Recommended for indoor applications. Can be used to create dry erase surfaces on any print, such as reusable presentation boards, vacation planners, maps, and courtroom graphic displays.



Product	SKU	Available Sizes	Mil	Description
Protac™ Scribe™	PSC25015 PSC25150 PSC38150 PSC41150 PSC51150 PSC54150	25.5" x 15' (648mm x 4.5m) sample 25.5" x 150' (648mm x 46m) 38" x 150' (965mm x 46m) 41" x 150' (1041mm x 46m) 51" x 150' (1295mm x 46m) 54" x 150' (1372mm x 46m)	3 (2/1)	Economical dry erase film Note: For premium, high performance, use WipeErase® Clear dry erase hard coat overlamine
MHL™ Scribe™	MS38503 MS51503	38" x 500' (965mm x 152m) 51" x 500' (1295mm x 152m)	3 (.50/2.50)	Dry erase film for use with black dry erase markers; standard application temperature (210-230°F/99-110°C) Note: For a premium, pressure sensitive version, use WipeErase® Clear dry erase hard coat overlamine

ArmourPrint™ Emerytex® and ArmourGrab™ A Counter Mat Solution

Drytac® ArmourPrint™ Emerytex® and ArmourGrab™ work together perfectly to create a counter mat solution ideal for fast food and retail environments. ArmourPrint™ Emerytex® is a clear, 15 mil (381µ) heavy duty, slip resistant monomeric PVC film with a matte pebble textured finish on one side and a smooth printable surface on the other side. By reverse-printing onto ArmourPrint™ Emerytex® and pairing it with ArmourGrab™ – a 7.7 mil (195µ) co-extruded white film coated with a heavy coat weight, permanent, pressure sensitive clear acrylic adhesive – you can create eye-catching advertising mats for counters. ArmourPrint™ Emerytex® has been approved by the FDA for incidental food contact and both media are slip-resistant, making the combination safe and effective for counters in fast food outlets, convenience stores, bars and more. Compatible with (eco) solvent, UV and latex wide-format inkjet printers.



Product	SKU	Available Sizes	Mil	Description
ArmourPrint™ Emerytex®	ARP25015 ARP54098	25.5" x 15' (648mm x 4.5m) sample 54" x 98' (1372mm x 30m)	15 (381µ)	A monomeric PVC film with a matte pebble textured finish on one side and a smooth printable surface on the other side.
ArmourGrab™	ARG25015 ARG54098	25.5" x 15' (648mm x 4.5m) sample 54" x 98' (1372mm x 30m)	7.7 (195µ)	A co-extruded white film coated with a heavy coat weight, permanent, pressure sensitive clear acrylic adhesive.

Interlam™ Pro Pressure Sensitive Overlaminating Films

This range of laminates have an acrylic adhesive coated on PVC base films with UV stabilisers and absorbers. They add depth and detail to a variety of flexible media substrates while simultaneously preventing the occurrence of silvering during lamination. Interlam™ Pro overlaminate films have excellent resistance to UV light, weather and temperature changes. These are formulated to be phthalate-free.



Outdoor durable for 3+ years (Interlam™ Pro Anti-Graffiti is outdoor durable for 5+ years)



Low Slip Potential Rating according to EN 13036-4 (Interlam™ Pro Emerytex®)

FDA approved for direct food contact according to US FDA 21 CFR 175.300 & US FDA 21 CFR 177.1975 (Interlam™ Pro Emerytex®)



Product	SKU	Available Sizes	Mil	Description
Interlam™ Pro Gloss	ILG25015	25.5" x 15' (648mm x 4.5m) sample	4 (3/1)	PVC film with gloss finish
	ILG38150	38" x 150' (965mm x 46m)		
	ILG51150	51" x 150' (1295mm x 46m)		
	ILG54150	54" x 150' (1372mm x 46m)		
	ILG61150	61" x 150' (1549mm x 46m)		
Interlam™ Pro Lustre	ILL25015	25.5" x 15' (648mm x 4.5m) sample	4 (3/1)	PVC film with lustre finish
	ILL38150	38" x 150' (965mm x 46m)		
	ILL51300	51" x 300' (1295mm x 91m)		
	ILL54150	54" x 150' (1372mm x 46m)		
	ILL61150	61" x 150' (1549mm x 46m)		
Interlam™ Pro Matte	ILM25015	25.5" x 15' (648mm x 4.5m) sample	4 (3/1)	PVC film with matte finish
	ILM38150	38" x 150' (965mm x 46m)		
	ILM51150	51" x 150' (1295mm x 46m)		
	ILM54150	54" x 150' (1372mm x 46m)		
	ILM61150	61" x 150' (1549mm x 46m)		
Interlam™ Pro Emerytex®	ILT25015	25.5" x 15' (648mm x 4.5m) sample	5 (4/1)	PVC film with pebble texture finish; floor graphic approved; slip resistant according to EN-13036-4 test. FDA approved for direct food contact according to US FDA 21 CFR 117.300 and US FDA 177.1975
	ILT38150	38" x 150' (965mm x 46m)		
	ILT51150	51" x 150' (1295mm x 46m)		
	ILT51300	51" x 300' (1295mm x 91m)		
	ILT54150	54" x 150' (1372mm x 46m)		
ILT61150	61" x 150' (1549mm x 46m)			
Interlam™ Pro Anti-Graffiti	IAG25015	25.5" x 15' (648mm x 4.5m) sample	2 (1/1)	PCTFE film with gloss anti-graffiti finish; high resistance to UV light, dirt, chemicals, and pollutants
	IAG54050	54" x 50' (1372mm x 15m)		
	IAG54150	54" x 150' (1372mm x 46m)		

Interlam™ Eco Pressure Sensitive Overlaminating Films

These overlaminates are competitively priced, PVC-free Polypropylene films with an aqueous acrylic adhesive. These films are great for providing image enhancement and moisture protection for indoor graphics.



PVC-free and aqueous acrylic adhesive

FDA approved for direct food contact according to US FDA 21 CFR 117.1520 (Interlam™ EcoGloss™)



Product	SKU	Available Sizes	Mil	Description
Interlam™ EcoGloss™	IEG51150	51" x 150' (1295mm x 46m)	2.5 (1.5/1)	PP film with gloss finish
Interlam™ EcoTex™	IET25015 IET51328	25.5" x 15' (648mm x 4.5m) sample 51" x 328' (1295mm x 100m)	5.7 (4.7/1)	PP film with pebble texture finish

Dynamic Plus™ Pressure Sensitive Overlaminating Films

Dynamic Plus™ overlaminates are PVC base films that have a pressure sensitive acrylic adhesive.



Product	SKU	Available Sizes	Mil	Description
Dynamic Plus™ Gloss	LFC2-G25015 LFC2-G54150 LFC2-G61150	25.5" x 15' (648mm x 4.5m) sample 54" x 150' (1372mm x 46m) 61" x 150' (1549mm x 46m)	4.2	Monomeric, soft calendared PVC film with a gloss finish
Dynamic Plus™ Lustre	LFC2-L25015 LFC2-L54150 LFC2-L61150	25.5" x 15' (648mm x 4.5m) sample 54" x 150' (1372mm x 46m) 61" x 150' (1549mm x 46m)	4.2	Monomeric, soft calendared PVC film with a lustre finish
Dynamic Plus™ Matte	LFC2-M25015 LFC2-M54150 LFC2-M61150	25.5" x 15' (648mm x 4.5m) sample 54" x 150' (1372mm x 46m) 61" x 150' (1549mm x 46m)	4.2	Monomeric, soft calendared PVC film with a matte finish
Dynamic Plus™ Sand	LFC2-S25015 LFC2-S54150 LFC2-S61150	25.5" x 15' (648mm x 4.5m) sample 54" x 150' (1372mm x 46m) 61" x 150' (1549mm x 46m)	4.2	Monomeric, soft calendared PVC film with a sand texture finish

Protac™ Overlaminating Films

PVC, PET and PP base films coated with solvent-based acrylic adhesive for the most demanding applications.



Dry Erase (Protac™ Scribe)



Low Slip Potential Rating according to DIN 51130 (Protac™ Emerytex®)

FDA approved for indirect food contact according to US FDA 21 CFR 175.300 & US FDA 21 CFR 177.1975 (Protac™ Emerytex®)

FDA approved for indirect food contact according to US FDA 21 CFR



Product	SKU	Available Sizes	Mil	Description
Protac™ High Gloss	PLHG3255	25.5" x 150' (648mm x 46m)	5 (4/1)	PET film with high gloss "mirror like" finish; ideal for photographs and fine art prints
	PLHG3385	38" x 150' (965mm x 46m)		
	PLHG3515	51" x 150' (1295mm x 46m)		
Protac™ High Gloss HD	PHG54098-10	54" x 98' (1372mm x 30m)	10	Same as 5 mil version but with more depth
Protac™ Lustre	PLL25015	25.5" x 15' (648mm x 4.5m) sample	4 (3/1)	PVC film with lustre finish
	PLL51164	51" x 164' (1295mm x 50m)		
Protac™ Emerytex®	PST25015	25.5" x 15' (648mm x 4.5m) sample	5 (4/1)	PVC film with pebble texture finish; outdoor durable for 3+ years
	PST25164	25.5" x 164' (648mm x 50m)		
	PST38164	38" x 164' (965mm x 50m)		
	PST51164	51" x 164' (1295mm x 50m)		
Protac™ Polycarbonate	PPC38075-10	38" x 75' (965mm x 23m)	10	Polycarbonate film with satin texture finish
	PPC51075-10	51" x 75' (1295mm x 23m)	15	Polycarbonate film with satin texture finish
	PPC38075-15	38" x 75' (965mm x 23m)		
PPC51075-15	51" x 75' (1295mm x 23m)			
Protac™ Antique Leather	PAL51082	51" x 82' (1295mm x 25m)	4 (3/1)	PVC film with antique leather finish
Protac™ Scribe™	PSC25015	25.5" x 15' (648mm x 4.5m) sample	3 (.50/2.50)	Economical dry erase film Note: For premium, high performance, use WipeErase™ dry erase hard coat overlaminate
	PSC25150	25.5" x 150' (648mm x 46m)		
	PSC38150	38" x 150' (965mm x 46m)		
	PSC41150	41" x 150' (1041mm x 46m)		
	PSC51150	51" x 150' (1295mm x 46m)		
	PSC54150	54" x 150' (1372mm x 46m)		
Protac™ Anti-Scratch Gloss	PAS25015-4	25.5" x 15' (648mm x 4.5m) sample	4	PET film with scratch-resistant hard coat, high gloss finish
	PAS51150-4	51" x 150' (1295mm x 46m)	10	
	PAS25015-10	25.5" x 15' (648mm x 4.5m) sample		
	PAS51164-10	51" x 164' (1295mm x 50m)		
Protac™ Anti-Scratch Matte	PLMAS25015	25.5" x 15' (648mm x 4.5m) sample	4 (3/1)	High adhesive coat weight PVC film with anti-scratch matte finish; ideal for use with UV printed output
	PLMAS51164	51" x 164' (1295mm x 50m)		

Artshield™ Heatset® Overlaminating Films

Pre-perforated PVC HeatSet® laminating films that can be applied quickly and easily with most mechanical, hard bed or vacuum-type mounting presses. Bonds well to inkjet, photo paper, and canvas, and can be used for other speciality applications. Optimum activation temperature is 185°F+/85°C+.

Product	SKU	Available Sizes	Mil	Description
Artshield™ Satinex™	SX25150PP	25.5" x 150' (648mm x 46m)	2.0 mil	Pre-perforated PVC film with a satin finish.
	SX25300PP	25.5" x 300' (648mm x 91m)		
	SX41050PP	41" x 50' (1041mm x 15m)		
	SX41150PP	41" x 150' (1041mm x 46m)		
	SX41300PP	41" x 300' (1041mm x 91m)		
	SX51150PP	51" x 150' (1295mm x 46m)		
Artshield™ Mattex™	SX51300PP	51" x 300' (1295mm x 91m)	2.0 mil	Pre-perforated PVC film with a satin matte finish.
	MX25300PP	25.5" x 300' (648mm x 91m)		
	MX41150PP	41" x 150' (1041mm x 46m)		
	MX41300PP	41" x 300' (1041mm x 91m)		
	MX51150PP	51" x 150' (1295mm x 46m)		
Artshield™ Matte™	MX51300PP	51" x 300' (1295mm x 91m)	3.0 mil	Pre-perforated PVC film with a matte finish.
	MT25150PP	25.5" x 150' (648mm x 46m)		
	MT41050PP	41" x 50' (1041mm x 15m)		
	MT41150PP	41" x 150' (1041mm x 46m)		
	MT41300PP	41" x 300' (1041mm x 91m)		
Artshield™ Emyertex®	MT51300PP	51" x 300' (1295mm x 91m)	4.0 mil	Pre-perforated PVC film with a pebble texture finish.
	ET51050PP	51" x 50' (1295mm x 15m)		

MediaShield™ Heatset® Overlaminating Films

MediaShield™ Heatset® laminating films are often described as a hybrid between thermal and pressure sensitive films. They bond well to aqueous inkjet output with high ink coverage – even on photo gloss paper and digital photo laser output. MediaShield™ laminated graphics can be handled, rolled or trimmed immediately after processing. Optimum application temperature is 85°C+ (185°F+). Both the Satinex™ and Mattex™ films are very conformable and therefore are ideal for use on canvas, fabric and other textured prints.



Outdoor durable for 3+ years



Low Slip Potential Rating according to DIN 51130 (MediaShield™ Emyertex®)

FDA approved for indirect food contact according to US FDA 21 CFR 175.300 and US FDA 21 CFR 177.1975 (MediaShield™ Emyertex®)

Product	SKU	Available Sizes	Mil	Description
MediaShield™ Satinex™	SX38164	38" x 164' (965mm x 50m)	3 (2/1)	PVC film with satin finish
	SX38328	38" x 328' (965mm x 100m)		
	SX51164	51" x 164' (1295mm x 50m)		
	SX51328	51" x 328' (1295mm x 100m)		
MediaShield™ Mattex™	MX38164	38" x 164' (965mm x 50m)	3 (2/1)	PVC film with satin matte finish
	MX38328	38" x 328' (965mm x 100m)		
	MX51328	51" x 328' (1295mm x 100m)		
MediaShield™ Matte	MT25328	25.5" x 328' (648mm x 100m)	4 (3/1)	PVC film with matte finish
	MT38328	38" x 164' (965mm x 50m)		
	MT41328	41" x 328' (1041mm x 100m)		
	MT51328	51" x 328' (1295mm x 100m)		
MediaShield™ Emyertex®	ET38164	38" x 164' (965mm x 50m)	5 (4/1)	PVC film with pebble texture finish
	ET38328	38" x 328' (965mm x 100m)		
	ET51328	51" x 328' (1295mm x 100m)		
MediaShield™ Deep Textured Canvastex™	CX51050	51" x 50' (1295mm x 15m)	8.6 (7.6/1)	PVC film with deep canvas texture finish
	CX51150	51" x 150' (1295mm x 46m)		

MHL™ Thermal Laminating Films

Our line of thermal laminating films is suitable for single-sided, double-sided (encapsulation) or decal style (adhesive bottom/laminate top) applications. Film thicknesses vary from 1.7 to 10 mil. Finishes include gloss, lustre, matte, and textured. Optimum application temperatures vary from 185-230°F (85-110°C)

Product	SKU	Available Sizes	Mil	Description
MHL™ Gloss Low Temperature	MGD25503	25" x 500' (635mm x 152m)	3 (1/2)	High clarity gloss PET film; low application temperature (185-195°F/85-91°C)
	MGD38503	38" x 500' (965mm x 152m)		
	MGD43503	43" x 500' (1092mm x 152m)		
	MGD51503	51" x 500' (1295mm x 152m)		
	MGD25205	25" x 250' (635mm x 76m)	5 (3/2)	
	MGD38205	38" x 250' (965mm x 76m)		
	MGD43205	43" x 250' (1092mm x 76m)		
	MGD51205	51" x 250' (1295mm x 76m)		
	MGD61205	61" x 250' (1549mm x 76m)	10 (7/3)	
	MGD25210	25" x 250' (635mm x 76m)		
	MGD38210	38" x 250' (965mm x 76m)		
	MGD43210	43" x 250' (1092mm x 76m)		
MGD51210	51" x 250' (1295mm x 76m)			
MHL™ Impervo™ Low Temperature	MLL25205	25" x 250' (635mm x 76m)	5 (3/2)	Matte PET film with hard coat; low application temperature (185-195°F/85-91°C)
	MLL38205	38" x 250' (965mm x 76m)		
	MLL43205	43" x 250' (1092mm x 76m)		
	MLL51205	51" x 250' (1295mm x 76m)		
	MLL25210	25" x 250' (635mm x 76m)	10 (7/3)	
	MLL38210	38" x 250' (965mm x 76m)		
MHL™ Lustre Low Temperature	MLD38503	38" x 500' (965mm x 152m)	3 (0.5/2.5)	Lustre PET film; low application temperature (185-195°F/85-91°C)
	MLD43503	43" x 500' (1092mm x 152m)		
	MLD51503	51" x 500' (1295mm x 152m)		
	MLD25205	25" x 250' (635mm x 76m)	5 (2.0/3.0)	
	MLD38205	38" x 250' (965mm x 76m)		
	MLD43205	43" x 250' (1092mm x 76m)		
	MLD51205	51" x 250' (1295mm x 76m)		
	MLD61205	61" x 250' (1549mm x 76m)		
MHL™ Matte Standard Temperature	MM51501	51" x 500' (1295mm x 152m)	1.7 (0.7/1.0)	Matte PET film; standard application temperature (210-230°F/99-110°C)
MHL™ Matte Low Temperature	MM38503	38" x 500' (965mm x 152m)	3 (0.5/2.5)	Matte PET film; low application temperature (185-195°F/85-91°C)
	MM43503	43" x 500' (1092mm x 152m)		
	MM51503	51" x 500' (1295mm x 152m)		
	MM61503	61" x 500' (1549mm x 152m)	5 (2/3)	
	MM51505	51" x 250' (1295mm x 76m)		
MHL™ Scratch Resistant Matte Standard Temperature	MSM511200	51" x 1200' (1295mm x 366m)	1.4 (0.5/0.5)	Matte OPP film; scratch resistant for book coverings; standard application temperature (210-230°F/99-110°C)

MHL™ Thermal Laminating Films Cont.

Product	SKU	Available Sizes	Mil	Description
MHL™ Scribe™	MS38503 MS51503	38" x 500' (965mm x 152m) 51" x 500' (1295mm x 152m)	3 (.5/2.5)	Dry erase film for use with black dry erase markers; standard application temperature (210-230°F/99-110°C) Note: For a premium, pressure sensitive version, use WipeErase dry erase hard coat overlaminate
MHL™ Frost™ Low Temperature	MZ38206 MZ51206	38" x 250' (965mm x 76m) 51" x 250' (1295mm x 76m)	6 (3/3)	Composite, crystal textured PET film; low application temperature (185-195°F/85-91°C)

Backing Material for Single-Sided Lamination

Drytac offers various backing material for single-sided lamination, including kraft paper and clear underlay film.

Product	SKU	Available Sizes	Description
Kraft Paper	KP38450 KP43450 KP51450 KP55450 KP61450	38" x 450' (965mm x 137m) 43" x 450' (1092mm x 137m) 51" x 450' (1295mm x 137m) 55" x 450' (1397mm x 137m) 61" x 450' (1549mm x 137m)	Natural kraft paper for single-sided laminating
Single-Sided Release Paper	GRP41328 GRP51328 GRP55328	41" x 328' (1041mm x 100m) 51" x 238' (1295mm x 100m) 55" x 328' (1397mm x 100m)	Silicone-coated release paper ideal for use in single-sided laminating.

Pressure Sensitive Mounting Adhesives

Drytac manufactures a full range of pressure sensitive adhesives for standard mounting projects and speciality applications, such as face mounts, interchangeable graphics and window graphics. All of our adhesive products use the best quality adhesives, carriers and release liners so you can achieve the best results.

Product	SKU	Available Sizes	Description
MultiTac™ Clear	MTAC25015 MTAC25150 MTAC38150 MTAC41150 MTAC51150 MTAC51300 MTAC61150	25.5" x 15' (648mm x 4.5m) sample 25.5" x 150' (648mm x 46m) 38" x 150' (965mm x 46m) 41" x 150' (1041mm x 46m) 51" x 150' (1295mm x 46m) 51" x 300' (1295mm x 91m) 61" x 150' (1549mm x 46m)	1 mil permanent, high tack acrylic adhesive on a clear PET carrier. When mounting to difficult or irregular surfaces, this mounting adhesive is ideal. Its aggressive bond ensures your most demanding graphics mounting needs are met.
MultiTac™ White	MTACW25015 MTACW25150 MTACW38150 MTACW51150 MTACW51300 MTACW61150	25.5" x 15' (648mm x 4.5m) sample 25.5" x 150' (648mm x 46m) 38" x 150' (965mm x 46m) 51" x 150' (1295mm x 46m) 51" x 300' (1295mm x 91m) 61" x 150' (1549mm x 46m)	1 mil permanent, high tack acrylic adhesive on white PET carrier. It helps hide show through along with the ability to mount to difficult, irregular and dark substrates.
MediaTac™	PSA26-25015 PSA26-25164 PSA26-38164 PSA26-38328 PSA26-41328 PSA26-51164 PSA26-51328	25.5" x 15' (648mm x 4.5m) sample 25.5" x 164' (648mm x 50m) 38" x 164' (965mm x 50m) 38" x 328' (965mm x 100m) 41" x 328' (1041mm x 100m) 51" x 164' (1295mm x 50m) 51" x 328' (1295mm x 100m)	High-quality aqueous acrylic adhesive on a 0.5 mil clear PET carrier for trouble-free mounting. Ideal for decal and high-volume mounting applications.
SureTac™ White	PSA2925015 PSA29510 PSA29615	25.5" x 15' (648mm x 4.5m) sample 51" x 300' (1295mm x 91m) 61" x 150' (1549mm x 46m)	Aggressive solvent acrylic adhesive on a 1.1 mil white PP carrier for reduced show through. Can also be used outdoors.
TwinTac™	PSA47-25150 PSA47-51150	25.5" x 150' (648mm x 46m) 51" x 150' (1295mm x 46m)	Aqueous acrylic adhesive on a 2 mil clear PVC carrier protected on each side with a release liner. Great for cut sheet applications. Phthalate-free.
RemoTac™	PSA68-25015 PSA68-25150 PSA68-38150 PSA68-51150	25.5" x 15' (648mm x 4.5m) sample 25.5" x 150' (648mm x 46m) 38" x 150' (965mm x 46m) 51" x 150' (1295mm x 46m)	A 0.5 mil PET carrier with a permanent acrylic adhesive on the exposed side and a removable acrylic adhesive on the other protected with a release liner. Great for nearly anywhere graphic removability is required.
Facemount®	PSF25015 PSF25150 PSF38150 PSF51150 PSF61150 PSF72150	25.5" x 15' (648mm x 4.5m) sample 25" x 150' (635mm x 46m) 38" x 150' (965mm x 46m) 51" x 150' (1295mm x 46m) 60.2" x 150' (1529mm x 46m) 72" x 150' (1829mm x 46m)	The highest-quality optically clear, ultra smooth permanent acrylic adhesive on a 1 mil optically clear PET carrier for face mounting graphics to glass, acrylic and other clear substrates.
OptiTac™ CF	OCCF25015 OCCF51150	25.5" x 15' (648mm x 4.5m) sample 51" x 150' (1295mm x 46m)	A 1.6 mil optically PET film clear carrier free adhesive
OptiTac™	OCA25015 OCA25150 OCA38150 OCA51150 OCA61150	25.5" x 10' (648mm x 3m) sample 25.5" x 150' (648mm x 46m) 38" x 150' (965mm x 46m) 51" x 150' (1295mm x 46m) 61" x 150' (1549mm x 46m)	A 1.5 mil optically clear PET film, coated on both sides with a pressure sensitive, permanent solvent acrylic adhesive
OptiTac™ Removable	O CPR25010 O CPR51150	25.5" x 10' (648mm x 3m) sample 51" x 150' (1295mm x 46m)	A 1.5 mil optically clear PET film, coated on one side with a pressure sensitive, permanent solvent acrylic adhesive and the other side with a pressure sensitive, removable solvent acrylic adhesive
WindowTac®	PWD25015 PWD25164 PWD41164 PWD51164 PWD54164	25.5" x 15' (648mm x 4.5m) sample 25.5" x 164' (648mm x 50m) 41" x 164' (1041mm x 50m) 51" x 164' (1295mm x 50m) 54" x 164' (1372mm x 50m)	A clear, double-sided adhesive on a 1 mil clear PET carrier. Has a unique embossed release liner on the removable side. Ideal for creating easy-to-install window graphics.
ReTac® Duo	RTD25015 RTD54150	25.5" x 15' (648mm x 4.5m) sample 54" x 150' (1372mm x 46m)	A clear, double-sided adhesive on a 1 mil clear PET carrier. Permanent adhesive on one side and ReTac® removable adhesive on the other.

Heat-Activated Mounting Adhesive

MHA™ is a self-wound, heat-activated solvent acrylic adhesive designed for use on roller laminators with a heated roller like the JetMounter™ JM63 Pro XD. The adhesive can be first applied to a substrate (e.g., MDF, Masonite, GatorFoam, PVC, Sintra, or canvas) or to the back of an image such as a poster, drawing or newspaper. After the first pass, the moisture stable release liner should be removed to expose a low-tack re-positionable adhesive. The exposed adhesive becomes permanent only after it passes through the laminator a second time. This allows for corrections and makes it very user friendly. Other benefits include a self-trimming feature for irregular shapes and because it has no carrier, excellent bonding to flexible boards and fabrics.

Product	SKU	Available Sizes	Description
MHA™ Multi-Heat Adhesive	MHA25328 MHA38328 MHA41328 MHA51328	25.5" x 328' (648mm x 100m) 38" x 328' (965mm x 100m) 41" x 328' (1041mm x 100m) 51" x 328' (1295mm x 100m)	Carrier-free permanent solvent acrylic adhesive for use with roller laminators or vacuum press.

Heat-Activated Mounting Adhesives and Tissues for Dry Mount Presses

Dry mounting is the use of heat and pressure to bond artwork to boards. We offer heat-activated mounting adhesives for your more challenging or specialist jobs. Our line of adhesives are designed to work with vacuum and dry mount presses geared towards fine art and framing applications. We also offer several dry mounting tissues for various projects. Dry mounting tissues are the simplest of products to use, but we continue to make sure ours set the highest standards in the print finishing industry.

Product	SKU	Available Sizes	Description
Dry Mount Film	MF41082 MF51328	41" x 82' (1041mm x 25m) 51" x 328' (1295mm x 100m)	Acrylic adhesive on a thin PVC carrier; for use with canvas textured substrates or irregular surfaces; activation temperature 185-210°F (85-99°C)
Trimount™	TR3205 TR3207 TR3210 TR3215 TR25150 TR25300 TR36300 TR41150 TR41300 TR42150 TR42300 TR51150 TR51300	8" x 10" (203mm x 254mm) 8.5" x 11" (215mm x 279mm) 11" x 14" (279mm x 356mm) 16" x 20" (406mm x 508mm) 25.5" x 150' (648mm x 46m) 25.5" x 300' (648mm x 91m) 36.5" x 300' (927mm x 91m) 41" x 150' (1041mm x 46m) 41" x 300' (1041mm x 91m) 42.5" x 150' (1080mm x 46m) 42.5" x 300' (1080mm x 91m) 51" x 150' (1295mm x 46m) 51" x 300' (1295mm x 91m)	3 mil premium quality, permanent dry mounting tissue; available in sheets and rolls; activation temperature 185-210°F (85-99°C)
Flobond™	FL2509 FL2514 FL2518 FL2520	24.5" x 90' (622mm x 27m) 32.5" x 90' (826mm x 27m) 40.5" x 90' (1029mm x 27m) 48.5" x 90' (1232mm x 27m)	2 mil clear, carrier-free pH-neutral mounting adhesive; activation temperature 175-200°F (79-93°C)
Vistamount™	VM24300 VM40300 VM48150	24.5" x 300' (622mm x 91m) 40.5" x 300' (1029mm x 91m) 48.5" x 150' (1232mm x 46m)	4 mil economical, general purpose dry mounting tissue for mounting to dark substrates; activation temperature 170-195°F (77-91°C)

BANNER STANDS



Available as a single or double-sided display, the top-selling BannerBug® comes in a range of sizes, from the pint-sized Desk Bug® to the 9.5' Giant Bug®. BannerBug® displays are sleek and modern. They roll up in seconds, and when new graphics are needed, they are quick and easy to change with the low-profile, hook and loop velcro top rail. Widths range from 8.69" (220mm) to 114" (2896mm). The base is silver with a black end cap. A black base color is available by special order. All BannerBug® displays come with a nylon carrying bag. Optional hard case is available.



Limited lifetime warranty.

Product	SKU	Available Sizes	Description	
BannerBug®	DU1058	22.81" x 59.81" (580mm x 1520mm) - single	Single-sided display with silver base	
	DU1085	33.44" x 85.375" (850mm x 2170mm) - single		
	DU1100	39.375" x 85.375" (1000mm x 2170mm) - single		
	DU1120	47.25" x 85.375" (1200mm x 2170mm) - single		
	DU1150	59.06" x 85.375" (1500mm x 2170mm) - single		
	DU1183	70.75" x 85.375" (1800mm x 2170mm) - single		
	DU1244	94.5" x 85.375" (2400mm x 2170mm) - single		
	DU1305	114" x 85.375" (2896mm x 2170mm) - single		
	DU0058	22.81" x 59.81" (580mm x 1520mm) - double		Double-sided display with silver base
	DU0085	33.44" x 85.375" (850mm x 2170mm) - double		
	DU0100	39.375" x 85.375" (1000mm x 2170mm) - double		
	DU0120	47.25" x 85.375" (1200mm x 2170mm) - double		
	Desk Bug®	DUD1022		8.69" x 20" (220mm x 510mm) Desk Bug®
MiniBug®	DUD1040	15.75" x 35.5" (220mm x 540mm) Mini Bug®		
Giant Bug®	DUG1100	39.375" x 9.5' (1000mm x 2908mm) Giant Bug®		
BannerBug® Optional Accessories	BB-CASE-085	Banner Bug Hard Molded Case, fits one Banner Bug up to 33.44" x (850mm)	N/A	
	HLT016164	Hook & Loop Tape 0.625" x 164' (15mm x 500mm)		
	HT06082	Hook Tape 0.625" x 82' (15mm x 25m)		
	UBSL-MR16	Universal Banner Stand Light -MR16 bulb 50W - Silver		
	UBSL-LED LC-002	Universal LED Light-silver, with carrying bag & one LED bulb Two 50W MR-16 light bulbs, with black case		

The Retractable Deluxe™

An economical, stable roll-up banner stand, The Retractable Deluxe™ is ideal for high-volume POP applications such as in-store promotions and advertising campaigns. The stand has a silver base and a clip roller with an adjustable spring. It also has a telescopic pole, which allows for easy height adjustment from 63" (1600mm) to 86.6" (2200mm), that can be stored in the stand's base for convenience. It comes standard with a carrying bag and is compatible with an optional universal light. The Retractable Deluxe™ must be ordered in cases of four.

Product	SKU	Available Sizes	Description
The Retractable Deluxe™ 4 pack	RETD-085-4	33.5" x 87" (850mm x 2210mm)	Roll-up, low profile banner stand with adjustable height



The Retractable Plus™

An economical, stable roll-up banner stand, The Retractable Plus™ is ideal for high volume POP applications such as in-store promotions and advertising campaigns. The base is silver and comes standard with a carrying bag. The Retractable Plus™ also comes with two top rail styles — self-adhesive or clamp. The Retractable Plus™ must be ordered in cases of six.

Product	SKU	Available Sizes	Description
The Retractable Plus™ 6 pack	RETP-085-6	33.5" x 78.74" (850mm x 2000mm)	Roll-up, low profile banner stand



Magnetic Receptive Sheeting and Films





These magnetic products can be used to create vehicle graphics, changeable displays and other projects. They are not for use with the Visual Magnetics® Graphic System.



Product	SKU	Available Sizes	Mil	Description
Ferro™ Magnet Compatible Metal Paper	DFE3682	37" x 82' (940mm x 25m)	6	Lightweight metal with a smooth white paper on each side;
Ferro™ Metal Paper with adhesive	DFA36082	37" x 82' (940mm x 25m)	6	available with pressure sensitive adhesive

Prep & Installation Tools

Tools and accessories to combat dust and static and to assist in graphic production..

Product	SKU	Description	
Burnishing Pads	ACC9057	Soft felt pad for removing air bubbles. Burnishing Pads package of 4	
DRS Roller and PCR Pad	ACC9050	Dust Removal System (DRS) Roller 12 inch red roller for rigid substrates	
	ACC9053	Dust Removal System (DRS) Roller 12 inch blue roller for flexible medias High quality dust removing roller and cleaning pad.	
	PCRPAD-5	PCR Pad for DRS Roller 50 sheets/pad (package of 5 pads) <i>(DRS Roller does not come with cleaning pad. This should be ordered separately)</i>	
Eraser Block™	ACC9010	For cleaning laminator rollers. (package of 2)	
TacCloth™	ACC9602	Slightly tacky, lint-free cloth. (package of 25)	


Canvas, Framing & Photo Mounting Tools

Tools and accessories for fine art and framing applications.

Product	SKU	Available Sizes	Description
10 oz. Canvas	MC6205	60" x 90' (1524mm x 27m) - with heat activated adhesive	1 ply canvas
7 oz. #569	MC6210 MC6211	63" x 90' (1600mm x 27m) sized 62" x 300' (1575mm x 91m) with heat activated adhesive	Artist Canvas Smooth textured cotton duck (Price FOB from applicable Drytac location. No free freight allowance)
Acrylic Texture Gel	AHS230	5 Gallons	White gel that applies with a brush and dries to a clear, three dimensional, brush stroke appearance
Clear Silicone Release Film	CRP41082 CRP50082	41" x 82' (1041mm x 25m) 50" x 82' (1270mm x 25m)	Double-sided clear release film.
Foam Overlay Blanket	FO65110-Q FO7040 FO7055	0.25" x 65" x 110" (6mm x 1651mm x 2794mm) 0.5" x 54" x 56" (13mm x 1372mm x 1422mm) 0.5" x 65" x 120" (13mm x 1651mm x 3048mm)	Allows moisture and air to escape during lamination.
Five Wheel Perforator	PE7020		Roller with evenly spaced tines for perforating laminates.
Glass Fiber Release Film	GFR38012	38" x 12' (965mm x 3.6m)	Durable release film for use in MPP canvas press.

Hanging & Display Accessories

Tapes, display board hangers and Velcro® to assist in constructing displays.

Product	SKU	Description	
Push/Pull™ Hangers	ACC9700	Locking stainless steel hinge hangers. (package of 100)	

Matte Edge Foils

Matte edge foils used with the DES-1 are available in black.

Product	SKU	Available Sizes	Description
Matte Edging Foil	EF001B	3/4" x 2500'	Edge foils for plaques
	EF002B	1 1/2" x 2500'	

JM18, JM26 & JM34 Electric Table-top

These smaller JetMounter™ models are motorised table-top laminators operated by a foot switch, leaving both hands free to handle the work being processed. Designed for mounting and laminating inkjet output, the JM26 and JM34 are equally capable of handling photographic or any printed media. All models include a supply shaft and photo cell safety protection. Features include a 1in (25mm) nip opening, speed control up to 18ft (5.5m) per minute, and a media guide to keep images on the roller when mounting.



Product	SKU	Description
JetMounter™ JM18	JM18	18.25" (667mm) electric laminator
JetMounter™ JM26	JM26	26.25" (667mm) electric laminator
JetMounter™ JM34	JM34	34" (864mm) electric laminator

Manual Table-Top Laminators

This table-top manual laminator is an inexpensive option for small photo studios or copy shops that want a quick solution to mount or laminate small pieces. Simple, durable construction makes this model easy to use. It also folds up for easy storage and transport. New features include a 1" (25mm) nip opening and a media guide that allows prints to be supported during processing.



Product	SKU	Description
Manual Table-Top ML25	ML25	25.5" (648mm) manual laminator

Hot Press® Vacuum Presses

The Hot Press® Heated Glass-Top Vacuum Press handles a wide range of presentation materials from foam board and wood to photos, art prints and delicate fabrics. The Hot Press® brand is well regarded by picture framers and other finishing professionals for its ability to produce consistent, high-quality results.

All models feature an automatic electronic timer with a manual override switch and vacuum pressure adjustment capabilities. Upon completion of the cycle, vacuum pressure is automatically released and the timer resets itself. Note: The HGP560 is built to order. Allow adequate lead time when ordering.



Product	SKU	Description
Hot Press® Heated Glass-Top Vacuum Press	HGP260	35" x 47" (889mm x 1194mm) press
Hot Press® Heated Glass-Top Vacuum Press	HGP360	42.5" x 66.5" (1080mm x 1689mm) press
Hot Press® Heated Glass-Top Vacuum Press	HGP560	50.25" x 98.25" (1276mm x 2496mm) press with stand

Customized Adhesive Science

With over 40 years of experience as one of the world's most progressive manufacturers of mounting adhesives, overlaminating films and printable media, Drytac is able to offer a confidential and professional contract adhesive coating and converting service. Our manufacturing facilities in the United Kingdom and North America have state-of-the-art R&D, coating, converting and private labelling capabilities. With the ability to apply aqueous, solvent based and hot melt adhesives, this enables us to develop customised products for specific applications utilising the best technologies available.

Typical Applications

Tapes

- Double Sided Tape
- Single Sided Tape
- Transfer Tape
- Tissue Tape
- Membrane Reinforced Tape
- High Coat Weight Construction Tapes
- Mounting Tape
- Cloth Tape
- Medical Tape

Labels

- Low Temperature Label
- Horticultural Label
- Durable Label
- Tyre Label
- Pharmaceutical Label
- Security Label
- BS5609 Certified Chemical Drum Label

Self-Adhesive Films

- Over-Laminating Film
- Self-Wound Protection Film
- Spray Booth Liner

Product Development Services

Developing a customized product isn't as expensive as you might think. Drytac can guide you through the development process from the initial choice of raw materials, selecting the appropriate adhesive technology, providing sample prototypes and scaling up to production trials. Robust testing is conducted throughout the process to ensure the product performs for the intended application and meets the expectations of the customer.

Drytac can manufacture your customized product in runs from as little as 5000 linear metres to over 1 million. Why not challenge Drytac to develop your self-adhesive product today?

Quality Assurance and Testing

Drytac operates a Quality Management System certified to ISO 9001. The company's dedication to quality ensures our customers receive consistent and reliable products that perform every time. Our production sites have fully equipped laboratories with facilities to conduct most testing associated with adhesive coated materials.

- Adhesive Analysis
- Adhesive Coat Weight
- Age Testing
- Release Value Testing
- 90 and 180 Degree Peel Strength Testing
- Shear Testing
- Tensile Strength
- Elongation
- Customised Adhesive Coatings and Sample Preparation

Graphic & Window Films

Double-Sided Tapes

Self-Adhesive Print Media

Label Stock

Industrial Adhesives

Laminating Films

Mounting Adhesives

Portable Displays



DRYTAC[®]

Europe

Filwood Road,
Fishponds,
Bristol, BS16 3RY,
United Kingdom
bristol@drytac.com
Tel: +44 (0) 117 958 6500

Canada

105 Nuggett Court,
Brampton,
Ontario, L6T 5A9,
Canada
toronto@drytac.com
Tel: +1 800.353.2883

USA

5601 Eastport Boulevard,
Richmond,
Virginia, 23231,
USA
customerservice@drytac.com
Tel: +1 800.280.6013